Wireflow free-form

\vee | 3 | \wedge

0353

Design By Arik Levy

Wireflow designed by Arik Levy. Hanging lap. The elegant structure of fine cables and LED terminal by Wireflow allows the combination of multiple individual pieces to carry out major graphic lighting installations which generate a visual opportunity of lines and points of light and bring a markedly conceptual character to an intangible product. The electrical connection point can be positioned on the ceiling or wall.

Model Sheet





Finish	O4 Black RAL 9005	Light
LED temperature color	2700 K	Gene Lamp the lig
Dimming	DALI 1-10V Push Optional Casambi Min. quantity, upcharge and extra lead time apply [EN]	
Instalation type	Surface Canopy	
Materials	Ceiling rose: Steel Body: Aluminum Rods: Steel	Photo Effici Coor Total Maxi
Light source	5 x LED 4,48W 350mA D	
LED	CRI>90 2451 lm 109 2700 K	
Driver	CC - Constant Current 350 110~240 V 50/60 HZ	
	(IP20) Bi-volt (50-60Hz)	
Application	Hanging lamps	
Packaging	1 Box 0.42 m x 0.42 m x 0.25 m Gross weigth 6 Net weigth 5.49 Vol. 0.0441	


Lighting effect

Seneral Lighting amp for general lighting that equally distributes he light in all directions.



Photometric Data

fficiency Coordinate System Total Flux Maximum Value 40.11% CG 2451.35 53.90



Optional : Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain.