

TECHNICAL CHARACTERISTICS

AMOKETD

# Moka




## Armchair

An armchair with the comfort of an easy chair, Moka armchair has been designed to fit providing warmth, making a minimal and simple space, more welcoming. With its elegant and fine steel structure and its seat fully upholstered.

DESIGNED BY ONDARRETA TEAM



**ondarreta**



### DIMENSIONS

50 cm x 54 cm x 84 cm x 47 cm x 69 cm  
(19,7" x 21,3" x 33.1" x 18,5" x 27,2")  
[width x depth x height x seat height  
x armrests height]

### WEIGHT

8,3 kg (18,3 lb)

### PACKAGING

One chair per box, box dimensions:  
63 cm x 49 cm x 99 cm (24.8" x 19.3"  
x 39")

### CERTIFICATION

Product tested under the European  
standard EN 15373:2007, category of  
general use L2.

### ORIGIN

100% Made in Europe

### DESIGN

Ondarreta Team



## COMPONENTS

### **FRAME**

#### **Material**

Conified 22 mm (0.9") maximum side and 1,5 mm (0.06") thickness cold laminated E-220 quality (EN-10305 Normative) steel tube.  
Tensile Strength > 310 N/mm<sup>2</sup> (44,960 psi);  
Elastic Limit > 220 N/mm<sup>2</sup> (31,900 psi); Elongation > 23%

#### **Finish**

Colour epoxy

### **SEAT**

Plywood sheet covered with 15 mm (0.6") thick polyether elastic foam.

### **BACK**

Resistant foam stuffing on the steel structure

### **ARMS**

Cold laminated steel frame covered in ELASTOFLEX®, a polyurethane semi-rigid foam.

## METAL FINISHES

### **EPOXYS**

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven curated at 200°C (392°F).

#### **Technical characteristics:**

Thickness (ISO 2360): between 60 and 90 µm.

Adherence (ISO 2409): Grade: 0 (maximum adherence)

## COM REQUIREMENTS

Full fabric: 105 cm (41,3")